

GOVERNMENT OF KERALA GOVERNMENT MEDICAL COLLEGE KOTTAYAM GANDHINAGAR P.O KOTTAYAM-08

Email ID – medicalcollegekottayam@gmail.com

Phone Office 0481-2597279

0481-2597284

Fax- 0481-2597284

No.GMCKTM/ 2750/ 2025 -C3

Date:29-10-2025

SHORT QUOTATION NOTICE

Sealed quotations are invited for the supply of following stores: Scherrington Apparatus-5Nos. for the Dept.of Pharmacy, Govt Medical College Kottayam.

The envelopes containing the quotations should bear the superscription "QUOTATION FOR THE PURCHASE OF Scherrington Apparatus-5Nos. for the Dept.of Pharmacy and should addressed to "THE PRINCIPAL, GOVT. MEDICAL COLLEGE KOTTAYAM-8". Intending tenderers may submit the quotations in their own papers.

Last date and time for the receipt of quotations is 6-11-2025 12 noon.. Late quotations will not be accepted. The quotations will be opened at 6.11.2025, 2.30 pm, in the presence of such of the tenderers or their authorized representatives who may be present at that time.

Further details of the requirements and the conditions governing their supply can be obtained free on request from The Principal, Govt Medical College Vottorom till 6.11.2025 11 am

Kottayam till 6.11.2025,11 am.

0

Note: Specification is enclosed herewith. For further details regarding the specification, can be had from the office until 6.11.2025, 11 am

Signed by
Dr Varghese P Punnoose
Date: 29-10-2025 07:35:02

PRINCIPAL

Place: Kottayam Date:28/10/25

CopyTo:1.Librarian,Central Library(for publishing in website)
2.Notice Boards



C3 1419348/25/73

As per the Health & Family Welfare Department - Annual Plan 2025-26 - Medical Education - Implementation of the Plan Scheme "Development of Medical Colleges under Directorate of Medical Education - Allopathy Medical College Kottayam" - Administrative Sanction accorded - Orders issued. HEALTH & FAMILY WELFARE (P) DEPARTMENT G.O.(Rt)No.2236/2025/H&FWD Dated, Thiruvananthapuram, 07-08-2025 we are hereby submitting the specifications of the items which are already included and approved in the Administrative sanction.

Items under 19-M&E

Sl.No	Sl.No in AS	TEM	Qnty	SPECIFICATIONS
1	Item under 19- M&E- No30	Electronic Weighing Machine KMSCL/EP/T492/174B/2023	6	 Type- High Precision Balance Capacity- 300 g Least Count- 0.01 g Display type – 14022 mm Green LED Calibration type- External calibration with one touch key Pan diameter – 128 mm
		1)		 Drum-Material: Polished mild steel /aluminum cylinder. Drum size: typically ~150 mm (6") diameter × ~150–200 mm width (6"×6" models common). Surface: suitable for smoked
2	Item under 19- M&E-No3	Sherrington Rotating Drum	5	paper or recording paper; balanced, screw-lift or fixed mount. • Speeds (8 fixed step speeds)-Range: from 0.12 mm/sec up to high speeds (common 8-step set e.g. 0.12, 0.25, 0.5, 1, 2, 4, 8, 16 mm/sec). • Changeover: gear/step pulley or band switch (electrically driven). Start/stop clutch for jerk-free operation. • Drive & motor

COUNTRY AM 686 098

ATTE WAS A WE COLON CONSESS.

				 Electrically driven induction/synchronous motor with belt/gear reduction; option for manual winding handle. Recording system-Spring-loaded writing lever(s) for smoked-paper recording; electrical time-marker or tuning-fork time marker available as accessory. Frame & base-Heavy cast-iron or powder-coated mild-steel base with leveling screws and rigid pillar for vibration resistance. Power-Standard: 220–240 V AC, 50 Hz. Time marker (electrical/tuning fork), stylus/pens, smoked-paper kit or graph paper rolls, tissue clips, stimulus connectors. Durability-Hardened gears, precision bearings, anti-vibration design — suitable for student labs and routine research/teaching use. Many vendors list these as lab/student grade. Sample Demonstration required before finalisation.
3	Item under 19- M&E- No.32	Monocular Microscope with inbuilt Light Source KMSCL/EP/T486/192B/2023	11	 Observation Head - 45° inclined Monocular head rotatable through 360°. Nosepiece - Quadruple nosepiece with accurate centring and positive click stops Stage - Mechanical stage of 135x140mm. Low co-axial drive controls for X-Y movement and cross movement 50X70mm, fully graduated vernier scale. Illumination - 6V-20W halogen lamp, 220/110Volfs. Mirror attachment for working in day light

Judy (tori